

# GROUP **LLOYD**

## ***CE INSTRUCTION MANUAL***

User information for motorcycle protective gloves.  
Only to be removed by the end use (customer)



Group Lloyd, Pallet Hill, Penrith, Cumbria, CA11 0BY, United Kingdom

## MOTORCYCLE GLOVE MODEL:

NG-70

## MAINTENANCE INSTRUCTIONS:

Superficial cleaning with a wet sponge only.



## STORAGE INSTRUCTIONS:

Keep the glove clean in a dry and clean place, protected from the sunlight and focuses of hot and cold. If possible, store in the original packaging. Keep it far from chemical substances that could damage the materials and make the glove lose its protection properties.

## REVISION:

Before the use of this PPE, check the materials, knuckle protection, reinforcements and seams are in perfect state. In case the PPE do not comply this requirement, repair, asking an official distributor of the product, or reject it.

## PACKAGING:

To ensure the correct storage of the glove, it is sold in a plastic bag closed with pressure buttons. Save this bag for future storages.

## ADJUSTMENT:

Once the glove is done, close the strap on the auto adherent fabric ensuring it correct fit and being sure it does not excessive pressure on the wrist or leaving the glove too loose.

## USE WITH OTHER GARMENTS:

This glove can influence on the performance of the motorcycle jacket. To ensure the correct fit and overlap with other garments, insert the cuff of the glove into the sleeve of the protective jacket, or on a protective jacket – when the glove is worn over the jacket.

## LEVEL OF PERFORMANCE:



EN 13594:2015

This pictogram means this is a glove for motorcycle protection (image) with a global evaluation of Level 1 of protection (1) or Level 2 of protection (2) and with Knuckle Protection (KP) or without Knuckle Protection ( ).

This glove is certified according to the [Regulation 2016/425](#) and the [EN 13594:2015](#) standard.

"Gloves under the EN 13594:2015 can be either level 1 or level 2, where level 2 offers a higher protection against damages and mandatory knuckle protection, but may come with higher ergonomic penalties than a level 1 glove.

## WARNING:

These gloves are designed to give limited mechanical protection to the hands and wrists in accidents, including accidents with the motorcycle, conflicting vehicles, road furniture and road surface and small impacts. These gloves are designed to give protection whilst having low ergonomic penalties associated with their use. These gloves cannot protect from all damages on an accident and are designed ONLY for motorcycle riding.

## SIZES AVAILABLE:

|   | S    | M    | L    | XL   | XXL  | 3XL  |
|---|------|------|------|------|------|------|
| A | 17.8 | 20.3 | 22.9 | 25.4 | 27.9 | 30.4 |
| B | 17.1 | 18.2 | 19.2 | 20.4 | 21.5 | 22.6 |



To ensure the perfect fit of the glove, measure the width of your hand (A) and the length (B) in centimeters and search at the following table the most suitable size. Wear the most suitable glove according to your measurements, fasten it and check if you can remove it without opening the closure system. In case you need it, try another size until you feel completely comfortable and protected.

## Certificate emitted by:

IDIADA AUTOMOTIVE TECHNOLOGY, S.A. - N.B. 0164 P. I. L'Albornar, s/n – 43710 Santa Oliva (Tarragona) – SPAIN

Do not use this PPE 5 years after its acquisition.

## TESTING RESULTS:

**Sizing:** Level 2, **Restraint:** Level 2, **Tear strength:** Level 2, **Seam strength:** Level 1, **Cut resistance:** Level 1  
**Impact and abrasion resistance:** Level 1 **Impact protection of knuckles:** Level 2

**EU Declaration of conformity URL:** [www.grouplloyd.com/group-Lloyd—certification.html](http://www.grouplloyd.com/group-Lloyd—certification.html)



CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements.



This pictogram indicates important technical information and user instructions

**SWIFT**

**NITRO**

**AKITO**

**G-MAC**

**TAKACHI**